


Scientific verification in timber supply chains


Andrew Lowe






Abraham Lincoln

“Law without enforcement is just good advice”






Species discrimination using DNA

**Glued oak timber is declared as
“Siberian oak “**



**The piece of timber is composed
of a mixture of European and
Mongolian oak**



Scientific verification of timber claimed as 'US White Oak' in European markets



More than half of samples declared as "U.S. white oak" were not from North America


■ Asia ■ North America ■ Eurasia ■ Europe



Region of origin using DNA








Individual identity using DNA




DNA Fingerprinting of maple

- 430 individuals from 40 populations
- 135 variable SNPs screened
- Significant genetic structure

- Individualisation probability 1×10^{23}







Primary



Common Name	Scientific Name	Barcoding	Genographic	Fingerprinting
Northern temperate forest				
Oak	<i>Quercus</i> spp.	✓	✓	✓
Larch	<i>Larix</i> spp.	✓	✓	
Poplar	<i>Populus</i> spp.	✓		
Maple	<i>Acer macrophyllum</i>		✓	✓
Neotropical forest				
Mahogany	<i>Swietenia</i> spp.	✓	✓	✓
Andiroba	<i>Carapa guianensis</i>		✓	✓
Cedro	<i>Cedrela fissilis</i>	✓	✓	✓
Cerdo-cheiroso	<i>Cedrela odorata</i>	✓	✓	
Angelim Vermelho	<i>Dinizia excelsa</i>		✓	✓
Jatobá	<i>Hymenaea courbaril</i>		✓	✓
Pará-pará	<i>Jacaranda copaia</i>		✓	✓
Maçaranduba	<i>Manilkara huberi</i>		✓	✓
Marupá	<i>Simarouba amara</i>		✓	✓
Ipê-amarelo	<i>Tabebuia serratifolia</i>		✓	✓
Cumala	<i>Viola surinamensis</i>		✓	✓
Cumaru/ Shihuahuaco	<i>Dipteryx odorata</i>		✓	✓
African tropical forest				
Doussie	<i>Azelia</i> spp.	✓		
Okan	<i>Cylicodiscus gabunensis</i>	✓		
Sepele/Sipo	<i>Entandrophragma</i> spp.	✓	✓	✓
Tali	<i>Erythrophleum ivorense</i>	✓		
African mahogany	<i>Khaya</i> spp.	✓	✓	
Azobé	<i>Lophira alata</i>	✓		
Iroko	<i>Milicia excelsa, M. regia</i>	✓	✓	✓
Wenge	<i>Millettia laurentii</i>	✓		
Ayous	<i>Triplochiton scleroxylon</i>	✓	✓	✓
African Teak	<i>Pericopsis elata</i>	✓		✓
Padauk	<i>Pterocarpus soyauxii</i>	✓		
Prunus	<i>Prunus africana</i>		✓	✓
Sipo	<i>Entandrophragma utile</i>		✓	✓
Okoumé	<i>Aucoumea klainea</i>		✓	✓
Okan	<i>Cylicodiscus gabonensis</i>		✓	✓
Padouk	<i>Pterocarpus soyauxii</i>		✓	✓
Azobé	<i>Lophira alata</i>		✓	✓
Bilinga	<i>Nauclea diderrichii</i>		✓	✓
Khaya/Acajou	<i>Khaya invorensis</i>	✓	✓	✓
SE Asian tropical/Australasian forest				
Ramin	<i>Gonystylus bancanus</i>	✓		
Merbau	<i>Intsia bijuga</i> ,	✓	✓	✓
Sandalwood	<i>Santalum</i> spp.	✓	✓	✓
Teak	<i>Tectona grandis</i>		✓	✓
Meranti/Balau	<i>Shorea</i> spp.	✓	✓	✓
Bangkirai	<i>Dipterocarpus</i> spp.		✓	✓







International Consortium on Combating Wildlife Crime

Dormonett et al (2015) Biological Conservation. Lowe et al (2016) BioScience

Global Timber Tracking Network



Thanks to

- University of Adelaide
 - Elly Dormontt, Kor Jent van Dijk, Duncan Jardine, Bianca Dunker, Rainbo Belton,
- Double Helix Tracking Technologies
 - Darren Thomas, Avalyn Lim, Soo Lin Goh, Max Horowitz-Burdick
- von Thunen Institute, ECCDI (Myanmar), FORDA (Indonesia)
- ITTO, ACIAR, Department for Agriculture (Australia)

For further information:

Email andrew.lowe@adelaide.edu.au

University of Adelaide, Environment Institute - <http://www.adelaide.edu.au/environment/>

DoubleHelix - <http://www.doublehelixtracking.com>

Blog www.BiodiversityRevolution.org.au Twitter @profalowe

Bio and papers— <http://www.adelaide.edu.au/directory/andrew.lowe> Google Scholar